



R4 Revolution 3-point TELECOM&UTILITIES- DuraFlex- Size L/XL

REF. 1014246



**Division**: Fall Protection Family: Fall Protection

Range: Harness

Brand formerly known as: MILLER

**Business Countries** 

EMEA

United Kingdom Middle East

**Activity Domains:** Telecoms • Utilities

#### Product Use:

3-point full body harness for use with a fall arrest device and suitable anchorage point. The robust Miller Revolution harness is ideal for telecoms and utilities thanks to the unique Revolution technology and a multitude of key features. The PivotLinkTM connections are located at hip level for a smoother movement during ascent and descent. A pivoting work-positioning belt offers greater freedom of movement and reach.

Sperian Protection: ZI Paris Nord II - 33 rue des vanesses - 8P 50288 - 95958 Roissy CDG - France Tel.: +33 (0)1 49 90 79 79 - Fax: +33 (0)1 49 90 79 80 - www.sperianprotection.eu



### **PRODUCT ADVANTAGES**

#### Feature:

Made from patented elasticated DuraFlexTM webbing, the R4 Basic Revolution 3-pt harness is ideal for telecoms and utilities thanks to the unique Revolution technology and a multitude of key features. The PivotLinkTM connections are located at hip level for a smoother movement during ascent and descent. Fitted with a pivoting work-positioning belt.

#### Benefit:

**PivotLink Connection** (patent pending): This unique rotary design provides greater comfort in bending / mobility. Positioned at waist level to mirror the bending and squatting movements of the worker in construction and maintenance. Provides attachment point for tools and accessories. Made of stainless steel and aluminium for corrosion resistance.

**ErgoArmor Back Shield**: This semi-flexible back shield minimizes impact from sharp / heavy snap hooks and self retracting lifelines. The self-adjusting channels conform to a variety of body shapes. The padding conforms to unlimited back contours while allowing superior air flow. A knitted mesh membrane minimizes moisture absorption and maintains an optimal air circulation whilst also helping to position the back D-ring correctly.

Self Contained Label Pack (patent pending): encapsulates labels minimizing damage and loss. Durable, polymer construction for extended service life. Integrated and oversized pull-free lanyard rings (patent pending)

Cam Buckle (patent pending): Easy, one-hand adjustment / release allows simultaneous adjustment of shoulder straps. Promotes proper snug fit; will not slip or misadjust. Constructed of high-tech polymer, lightweight aluminium and stainless steel materials that resist rust/corrosion.

Web Finials (patent pending): Clip-on design safely organises webbing after proper adjustment. Constructed of durable, high-impact resistant polymer. Provides positive gripping surface for easy web adjustment.

Integrated Accessory System: Modular attachment designprovides connection points for tools and accessories which can be easily attached/removed for greater comfort and convenience. Designed to distribute the weight of accessories across the hips and shoulders for comfort and mobility.

**DuraFlex WebbingTM**: Patented, elastomer webbing specially formulated to stretch with the user's movements so there is no bunching or binding.

Pivoting work positioning belt for greater freedom of movement and reach.

### TECHNICAL DESCRIPTION

#### Webbings

Webbing:

Shoulder and leg straps

Material: 100% PA

Width (mm): natural gum 44 mm

**Breaking Strength:** 

>2300 daN

# **Dorsal D-Ring**

Raw Material:

7mm (diam.) stainless steel

**Breaking Strength:** 

>5000 daN

# Front Anchorage Loops

**Breaking Strength:** 

>1500 daN

## **Adjustement Buckles**

Raw Material:

45mm Aluminium alloy

**Breaking Strength:** 

600daN

## Performance

**Operating Temperature:** 

-40°C to +80°C



**General Information** 

Weight (kg): 1.810 kg

Size:

Complementary Information:

Norms EN361 EN358

## ADDITIONAL INFORMATION

User manual number:

90004212

**EAN Code:** 3660681034915

## **CERTIFICATION AND CONFORMITY**

**European Directives:** 

89/686/EEC

EC Category PPE\* : Category III

Standards: EN361 / EN358 Quality Assurance: ISO 9001 / 2000

**EC Certification Number:** 

0333 AFAQ/CTH

**EC Attestation Number :** 0082/490/160/05/06/0254

**Laboratory :** APAVE Lyonnaise

\*PPE: Personal Protective Equipment

VISITA NUESTRA TIENDA
EN FEPAKO. COM DA



# EC CONFORMITY DECLARATION

The manufacturer or its legal representative supplier settled in the European Community: Miller by Sperian

Declares that the next Personal Protective Equipment described here after is in conformity with the provisions of Council Directive 89/686/CEE:

Designation: R4 Revolution 3-point TELECOM&UTILITIES- DuraFlex- Size L/XL

Reference: 1014246 Standard(s): EN361 EN358

This PPE is the object of the above EC attestation type:

0082/490/160/05/06/0254

Delivered by:

France

APAVE Lyonnaise 177 route de Saint-Bel BP 3 69811 TASSIN CEDEX

Made at Vierzon, on the 11/10/2005

By: Yves Depin Division: Fall Protection

MSITA NUESTRATIENDA
EN REPAKO.COM DA