



#### GENERAL DATA

**Division :** Body Protection  
**Family :** Protective Gloves  
**Range :** Cut and Puncture Protection  
**Line :** Cut resistant  
**Brand formerly known as :** PERFECT FIT  
**Business Countries**  
 EMEA  
 United Kingdom  
 Middle East  
**Activity Domains :**  
 Aviation • Building and Construction • Catering • Energy or Electricity • Glass Industries • Logistics • Maintenance • Metal steel • Paper Industries • Services • Telecoms • Transportation • Utilities • Automotive and Part Manufacturer

#### Product Use :

For work requiring good dexterity in a dry, oily or greasy environment. For light handling, parts assembly.

#### PRODUCT ADVANTAGES

##### Feature :

Dyneema® knitted glove mottled with black polyamide yarn. **Nitrile coating on palm and fingers tips.**

##### Benefit :

**Comfort** The knitting technique helps to obtain a glove that conforms snugly to the hand, with good dexterity. The glove offers maximum comfort and added sturdiness. The cool Dyneema touch gives an added sensation of comfort. The ventilated back and foamy shape optimise the glove's breathability.

**Resistance** The Dyneema/lycra thread provides outstanding properties against cuts. The nitrile coating at the palm and fingertips provides outstanding abrasion resistance as well as good resistance against oils. Caution! Do not expose this glove to the heat.

**Safety** Its grey marl colour and black coating make this glove more soilproof, thus ensuring a longer last.

  
 VISITA NUESTRA TIENDA  
 EN [FEPAKO.COM](http://FEPAKO.COM)

## TECHNICAL DESCRIPTION

**Description :**

Dyneema black polyamide knitted glove. Nitrile coating on palm and fingers tips

**Product Technology :**

Knitted Coated

**Length :**

230 mm

**Harmlessness :**

Conform.

**Dexterity :**

Class 5

**Size :**

9 - 10 - 7 - 8

**EN 388 - Mechanical hazards**

Abrasion resistance : 4

Cutting resistance : 2

Tear resistance : 4

Perforation resistance : 3

## ADDITIONAL INFORMATION

**Care Instruction :**

This article can be cleaned industrially. Please contact Sperian Protection.

**User manual number :**

060

## CERTIFICATION AND CONFORMITY

**European Directives :**

89/686/EEC

**EC Category PPE\* : Category II****Standards :**

EN 420 / EN 388

**Tagging :**

CE SPERIAN

22 322 75 T09

EN 388: 4243

**Tagging :**

CE SPERIAN

22 322 75 T09

EN 388: 4243

**EC Attestation Number :**

BTX/27214(1)/MJD/04

**Laboratory :**

SGS

\*PPE : Personal Protective Equipment

FEPAKO  
VISITA NUESTRA TIENDA  
EN FEPAKO.COM

## EC CONFORMITY DECLARATION

**The manufacturer or its legal representative supplier settled in the European Community:**  
Sperian Protection Europe

**Declares that the next Personal Protective Equipment described here after is in conformity with the provisions of Council Directive 89/686/CEE:**

Designation: PERFECT CUTTING @ NIT

Reference: 2232275

Standard(s): EN 420 EN 388

**This PPE is the object of the above EC attestation type:**

BTX/27214(1)/MJD/04

**Delivered by:**

SGS

SGS House

Portland Road, East Grinstead

RH19 4 WEST SUSSEX

United Kingdom

**Made at Roissy, on the 06/14/2007**

**By:**

**Division:** Body Protection



VISITA NUESTRA TIENDA  
EN **FEPAKO.COM**