


**GENERAL DATA**

**Division :** Head Protection  
**Family :** Eye and Face Protection  
**Range :** Spectacles  
**Line :** Single lens  
**Brand formerly known as :** PULSAFE  
**Business Countries**  
 United Kingdom  
 EMEA  
 Middle East  
**Activity Domains :**  
 Automotive and Part Manufacturer • Aviation •  
 Administration • Building and Construction • Catering •  
 Energy or Electricity • Food Industries • Foundry • Glass  
 Industries • Industrial Cleaning • Iron and steel industry •  
 Maintenance • Metal steel • Mining and Quarrying •  
 Paper Industries • Printing Industries • Textile Industries  
 • Transportation • Water treatment • Wood Industries •  
 Laboratory • Ship Building • Industry

**Product Use :**

General use and protection against impact (45m/s)  
 Mechanical Work (grinding, turning, milling)  
 For outdoor use when sunlight and glare can cause eye fatigue  
 Meets the requirement of colour Traffic Signal Recognition  
 Protection against impact from -5C to +55C

**PRODUCT ADVANTAGES**
**Feature :**
**Comfort Features:**

- Pulsafe patented MMT (Multi-Material Technology) positions cushioned comfort at all points of contact
- IMA (In-Mold Assembly) technology allows revolutionary product features to tailor-fit your face shape and size
- Soft materials offer extended comfort for all day wear
- Floating lens design provides excellent ventilation to minimize fogging

**Lens Features:**

- Extended wrap-around lens provides extra cheek and side coverage
- Optically perfect polycarbonate lens blocks 99.9% of UV rays
- Easy and quick lens replacement system
- Lenses are available with anti-fog coating

**Benefit :**

Flexible, expandable, durable, lightweight and comfortable, nothing fits or feels as good as the FitLogic.

**Feature :**
**Cheekbone profile : Precise angle adjustment to fit your cheekbone.**

The temple arms ratchet up and down and click securely into place.

**Benefit :**

It does contour - fit your cheek profile

**Feature :**
**Ear profile : Infinite temple length adjustment fits to your ear.**

The temples lengthen with a precise, sliding action.

**Benefit :**

They give better fit and provide more behind-the-ear comfort.

## EC CONFORMITY DECLARATION

**The manufacturer or its legal representative supplier settled in the European Community:**  
Sperian Protection Europe

**Declares that the next Personal Protective Equipment described here after is in conformity with the provisions of Council Directive 89/686/CEE:**

Designation: FitLogic Black TSR Grey Lens  
Reference: 1013339  
Standard(s): EN166 EN172

**This PPE is the object of the above EC attestation type:**  
0194

**Delivered by:**

INSPEC  
56 Leslie Hough Way  
Salford  
M6 6AJ Greater Manchester  
United Kingdom

**Made at , on the** 08/02/2007

**By:**

**Division:** Head Protection

FEPAKO  
VISITA NUESTRA TIENDA  
EN [FEPAKO.COM](http://FEPAKO.COM)

# INSPEC

# CE

## EC TYPE-EXAMINATION CERTIFICATE: 1479

**Product description: -**

Personal Protective Spectacles

**Product identification: -**

Sperian FitLogic

**Manufacturer: -**

Sperian Eye and Face Protection Inc.  
10 Thurber Boulevard  
Smithfield  
RI 02917  
U S A

When assessed and examined against harmonised standard EN166:2001 are found to be in conformity with Council Directive 89/686/EEC and associated amendments, relating to personal protective equipment.

**Authorised EU Representative: -**

Sperian Protection Europe (SAS)  
ZI Paris Nord II  
33 Rue des Vanesses, BP 50 288  
95958 Roissy CDG cedex  
France

**Signed**

**Date: 17<sup>th</sup> March 2006**

K J Warren, Manager, Certification Services

**For and on behalf of INSPEC International Ltd.**  
56 Leslie Hough Way, Salford, Gt Manchester M6 6AJ  
England (Notified Body No: 0194)

For terms and conditions of issue, see page 2



## Terms and Conditions

### Reference Documents: -

- |      |                |   |  |
|------|----------------|---|--|
| i)   | Test Report    | - | INSPEC 06.02.52 & 08.05.15 to 08.05.21<br>ICS T2722-01=1 |
| ii)  | Technical File | - | TF/1479  |
| iii) | Quality Plan   | - | Sperian Eye & Face Protection, Inc QP EN 166             |

### Conditions attached to the issue of this certificate:


- i) Marking and instructions have been assessed in the English language only. It is the Manufacturers/Authorised Representatives responsibility to obtain and supply language versions acceptable to the country where the product is to be sold.
- ii) Any changes to the product, technical file or quality manual/quality plan shall be immediately notified to INSPEC.
- iii) The Manufacturer/Authorised Representative shall comply at all times with INSPEC's Regulations governing CE Product Certification.
- iv) This Certificate remains the property of INSPEC and may be withdrawn if any of the conditions attached to its issue are not complied with.



# CERTIFICATION INDEX

| Item                     | Status    | Issued   | Amendment                                     |
|--------------------------|-----------|----------|---|
| Certificate, Pages 1 – 4 | Withdrawn | 17/03/06 | Initial Issue                                 |
| Certificate, Pages 1 – 4 | Withdrawn | 04/06/08 | Addition of new shades and replacement lenses |
| Certificate, Pages 1 – 4 | Valid     | 24/07/08 | Addition of SKU ref to readers                |

**FEPAKO**  
VISITA NUESTRA TIENDA  
EN **FEPAKO.COM**



# CERTIFICATION SCHEDULE

| Model ref | Lens colour and coating | Optical Class | Lens Filter | Options |
|-----------|-------------------------|---------------|-------------|---------|
| 1013337   | Clear HC                | 1             | 2C-1.2      | FT      |
| 1013338   | Clear FOG-BAN           | 1             | 2C-1.2      | FT      |
| 1013339   | TSR Gray HC             | 1             | 5-2.5       | FT      |
| 1013340   | TSR Gray FOG-BAN        | 1             | 5-2.5       | FT      |
| 1013341   | HDL Yellow HC           | 1             | 2-1.2       | FT      |
| 1013342   | I/O Silver HC           | 1             | 5-1.7       | FT      |
| 1013343   | Silver Mirror           | 1             | 5-3.1       | FT      |

## Sperian FitLogic Reader<sup>1</sup>

| Model ref | Lens colour and coating | Optical Class | Optical Power | Lens Filter | Options |
|-----------|-------------------------|---------------|---------------|-------------|---------|
| 1014002   | Clear HC                | 1             | 1.5dpt        | 2C-1.2      | FT      |
| 1014005   | Clear HC                | 1             | 2.0dpt        | 2C-1.2      | FT      |
| 1014006   | Clear HC                | 1             | 2.5dpt        | 2C-1.2      | FT      |

All lenses are polycarbonate

Key:

FT - Low energy impact at extremes of temperature

## Replacement Lenses

| Model ref | Lens colour and coating | Lens Filter |
|-----------|-------------------------|-------------|
| 1014013   | Clear HC                | 2C-1.2      |
| 1014014   | Clear FOG-BAN           | 2C-1.2      |
| 1014012   | TSR Gray HC             | 5-2.5       |
| 1014011   | TSR Gray FOG-BAN        | 5-2.5       |
| 1014008   | HDL Yellow HC           | 2-1.2       |
| 1014009   | I/O Silver HC           | 5-1.7       |
| 1014010   | Silver Mirror           | 5-3.1       |



CERTIFICATION/TEST REPORT RECEIPT FORM

DATE RECEIVED: 8/1/08

PRODUCT: Ellegre

CERTIFICATION  TEST REPORT

SIGNATURES

O.A. MANAGER

DIRECTOR QUALITY SYSTEMS

DIRECTOR R & D:

*[Handwritten signatures]*

**FEPAKO**  
VISITA NUESTRA TIENDA  
EN **FEPAKO.COM**

