


GENERAL DATA

Division : Head Protection
Family : Eye and Face Protection
Range : Spectacles
Line : Single lens
Brand formerly known as : PULSAFE
Business Countries
 United Kingdom
 EMEA
 Middle East
Activity Domains :
 Administration

Product Use :

General Use and protection against impact (45m/s)
 Mechanical Work (grinding, turning, milling)
 Welder assisting job only , not suitable for welding and oxy-cutting

PRODUCT ADVANTAGES
Feature :

XC for X-tra Coverage, X-tra Comfort, X-tra Control

X-tra Coverage : Exceptional lens

9 base-curved high coverage lens

Benefit :

It provides a total wraparound coverage & assure exceptional peripheral vision along with complete protection.
 The 13 different lenses offer a wide choice and a solution for every application.

Feature :
X-tra Control : Adjustability

Adjustable temples & lenses with flexible nosepiece
 Extra flexible frame

Easily replaceable lenses : they can be changed easily without replacing the entire frame for a longer product life and cost savings.

Benefit :

It protects from the top of the eye to the bottom with no gaps.
 It fits a variety of faces, including men & women and feels like made-to-order
 It guarantees a perfect fit.

Feature :
X-tra Comfort : Multi-Material Technology - MMT

Ultra-soft two-shot material on any part of the frame in contact with the face or head (brow, nosebridge, and temples)

Benefit :

All pressure points are relieved for exceptional all-day comfort.

TECHNICAL DESCRIPTION

Type :
Spectacles

Shade/Lens color :
IR 3.0

Lens coating :
Anti-Scratch

Shade/Lens material :
Polycarbonate

Frame color :
Blue

Frame material :
Plastic

CERTIFICATION AND CONFORMITY

European Directives :
89/686/EEC

EC Category PPE* : Category II

Standards :
EN166 / EN169

EC Certification Number :
EC1144

EC Attestation Number :
0194

Laboratory :
INSPEC

*PPE : Personal Protective Equipment

FEPAKO
VISITA NUESTRA TIENDA
EN **FEPAKO.COM**

EC CONFORMITY DECLARATION

The manufacturer or its legal representative supplier settled in the European Community:
Sperian Protection Europe

Declares that the next Personal Protective Equipment described here after is in conformity with the provisions of Council Directive 89/686/CEE:

Designation: XC Blue, IR 3.0 Lens

Reference: 1011021

Standard(s): EN166 EN169

This PPE is the object of the above EC attestation type:
0194

Delivered by:

INSPEC

56 Leslie Hough Way

Salford

M6 6AJ Greater Manchester

United Kingdom

Made at , on the 07/31/2007

By:

Division: Head Protection

FEPAKO
VISITA NUESTRA TIENDA
EN FEPAKO.COM

INSPEC



EC TYPE-EXAMINATION CERTIFICATE: 1144

Product description: - Eye Protection – Eyeshield

Product identification: - SperianXC

Manufacturer: Sperian Eye and Face Protection Inc.
10 Thurber Boulevard
Smithfield
RI 02917
U S A

When assessed and examined against harmonised standards EN166:2001, EN169:2002, EN170:2002 and EN172:1994 is found to be in conformity with Council Directive 89/686/EEC and associated amendments, relating to personal protective equipment.

Authorised EU Representative: - Sperian Protection Europe (SAS)
ZI Paris Nord II
33 Rue des Vanesses, BP 50 288
95958 Roissy CDG cedex
France

Signed 

Date: 15th October 2003

K J Warren, Manager, Certification Services

For and on behalf of INSPEC International Ltd.
56 Leslie Hough Way, Salford, Gt Manchester M6 6AJ
England (Notified Body No: 0194)



For terms and conditions of issue, see page 2

Terms and Conditions

Reference Documents: -

- | | | | |
|------|----------------|---|---|
| i) | Test Report | - | INSPEC 03.08.22 – 27, 03.10.13, 04.02.34,
04.06.03, 04.11.55 – 60, 05.04.62, 06.11.36,
09.01.50 |
| ii) | Technical File | - | TF/1144 & TF/0930 |
| iii) | Quality Plan | - | Sperian Eye & Face Protection, Inc QP EN 166 |

Conditions attached to the issue of this certificate:

- i) Marking and instructions have been assessed in the English language only. It is the Manufacturers/Authorised Representatives responsibility to obtain and supply language versions acceptable to the country where the product is to be sold.
- ii) Any changes to the product, technical file or quality manual/quality plan shall be immediately notified to INSPEC.
- iii) The Manufacturer/Authorised Representative shall comply at all times with INSPEC's Regulations governing CE Product Certification.
- iv) This Certificate remains the property of INSPEC and may be withdrawn if any of the conditions attached to its issue are not complied with.



CERTIFICATION INDEX

Item	Issued	Status	Amendment
Page 1 of 2	15/10/03	Withdrawn	-
Page 2 of 2	15/10/03	Withdrawn	-
Page 2 of 2, Amendment: ONE	06/04/04	Withdrawn	Add green shade 2.5
Page 2 of 2, Amendment: TWO	15/06/04	Withdrawn	Add report 04.06.03
Page 2 of 2, Amendment: THREE	30/11/04	Withdrawn	Add report 04.11.55-60
Page 2 of 2, Amendment: FOUR	03/05/05	Withdrawn	Add report 05.04.62
Schedule ONE	15/10/03	Withdrawn	-
Schedule TWO	06/04/04	Withdrawn	Add green shade 2.5
Schedule THREE	15/06/04	Withdrawn	Add 2C-1.2 to clear lenses
Schedule FOUR	30/11/04	Withdrawn	Add Cappucino, Welding, TCG
Schedule FIVE	03/05/05	Withdrawn	Add 1.7/HC
Schedule SIX	21/07/06	Withdrawn	Add private labels
Certificate, pages 1 – 4	15/11/06	Withdrawn	'K' added to SKU 101 0950
Certificate, pages 1 – 4	02/07/08	Withdrawn	Name change to SPERIAN & removal of K against all models except 1016076
Certificate, pages 1 – 4	27/01/09	Withdrawn	Addition of new coatings K & N
Certificate, pages 1 – 4	26/02/09	Valid	Renaming to private label


 VISITA NUESTRA TIENDA
 EN FEPAKO.COM



CERTIFICATION SCHEDULE

Product:

SPERIAN XC™ eyeshield, navy blue or black frame, Duo-Flex temple

Model	Optical Class	Lens Type	Scale	Options	Logo
1010950	1	Clear HC	2C-1.2	FTKN	SPERIAN
1011027	1	Clear Fogban	2C-1.2	FTKN	SPERIAN
1011025	1	TSR Gray AF	5-2.5	FTKN	SPERIAN
1011022	1	Silver mirror	5-3.1	FTKN	SPERIAN
1011026	1	TSR Gray HC	5-2.5	FTKN	SPERIAN
1011020	1	Shade 5 HC	5	FTKN	SPERIAN
1011024	1	Amber HC	2-1.2	FTKN	SPERIAN
1011023	1	I-O silver	5-1.7	FTKN	SPERIAN
1011021	1	Shade 3.0 HC	3.0	FTKN	SPERIAN
1012100	1	Green 2.5, 6-2.5 HC	2.5, 5-2.5/6-2.5	FTKN	SPERIAN
1012910	1	TCG/HC	5-3.1	FTKN	SPERIAN
1012877	1	1.7/HC	1.7	FTKN	SPERIAN
1012879	1	Cappucino AF	5-2.5	FTKN	SPERIAN
1012878	1	Cappucino HC	5-2.5	FTKN	SPERIAN
1012902	1	Welding 6.0	6.0	FTKN	SPERIAN
1012901	1	Welding 4.0	4.0	FTKN	SPERIAN
1012900	1	Amber AF	2-1.2	FTKN	SPERIAN
1016076	1	Clear HC	2-1.2	FTKN	SPERIAN
1015564	1	Clear Fogban	2C-1.2	FTKN	Private label
1015565	1	TSR Gray AF	5-2.5	FTKN	Private label
1015567	1	Clear Fogban	2C-1.2	FTKN	Private label
1028101	1	Clear Fogban	2C-1.2	FTKN	Private label
1028100	1	Clear HC	2C-1.2	FTKN	Private label
31-80133	1	Shade 3.0 HC	3.0	FTKN	Glendale
31-80134	1	Shade 5 HC	5	FTKN	Glendale

Key:-

- 1 - optical class
- FT - High speed particles at extreme temperature, LOW energy (EN166:2001 clause 7.2.8)
- K - Resistance to damage by fine particles (EN166:2001 clause 7.3.1)
- N - Resistance to damage by fogging (EN166:2001 clause 7.3.2)

Additional replacement lenses

Model	Lens Type
1011013	Clear HC
1011015	Clear Fogban
1011016	TSR Gray HC
1011017	TSR Gray Fogban
1011012	Silver Mirror
1011018	HDL Yellow HC
1011019	I/O Silver
1015250	Shade 1.7 HC
1011010	Shade 3.0 HC
1010949	Shade 5 HC



CERTIFICATION/TEST REPORT RECEIPT FORM

DATE RECEIVED: 3/9/09
PRODUCT: XC

CERTIFICATION TEST REPORT

SIGNATURES
Q.A. MANAGER John Simpson
DIRECTOR QUALITY SYSTEMS [Signature]
DIRECTOR R & D: [Signature]

FEPAKO
VISITA NUESTRA TIENDA
EN **FEPAKO.COM**

