



GENERAL DATA

Division : Body Protection
Family : Professional Clothing
Range : Technical Workwear
Line : Multi-Risks Protection
Business Countries
 EMEA
Activity Domains :
 Maintenance • Offshore • Petro-chemical • Utilities •
 Welding • Industry • Energy or Electricity

Product Use :

Shirt designed to protect the user against the accidental contact with small flames, and allow the dissipation of accumulated electrostatic charges.

PRODUCT ADVANTAGES

Feature :

Heat Protection: The MEGATEC fabric stays in place and assists the user by providing protection in very high temperatures. **Mechanical Protection:** MEGATEC provides good physical resistance, particularly rupture and tear resistance. **Antistatic Protection:** Optimal protection against the potential hazards linked to electrostaticism.

Benefit :

Multifunctional & flame resistant: MEGATEC clothing has exceptional flame-resistant properties, meaning it can greatly withstand heat and flames.

Lightweight & breathable: MEGATEC fabric retains the comfort of cotton, thus offering greater freedom of movement. MEGATEC fabric wicks away dampness for optimal comfort during wear.

VISITA NUESTRA TIENDA
EN FEPAKO.COM

TECHNICAL DESCRIPTION

Description :

1. Shirt with cuffs fastened using press-stud buttons.
2. Press-stud button fastening with protective flap.
3. Breast pocket.

Sexe :

Unisex

Size :

From S to 4XL

Size measurement chart :

International size

Weight :

150 gr/m²

Material :

MEGATEC K

Color :

Blue

Composition :

68% cotton - 30% Kermel® - 2% antistatic fibre

Performances :

EN 340 : Protective clothing - General standards

EN 531: Protective clothing for industrial workers exposed to heat (A B1 C1)(with the exception of clothing for fire-fighters)**A** = Limited flame propagation**B** = Resistant to convective heat**C** = Resistant to radiant heat**EN 470-1**: Protective clothing used during welding and related techniques (e.g. flame cutting)**EN 1149-3** : Protective clothing – Electrostatic properties

Limitation of use :

The shirt only protects the chest and arms. The garment indicated is NOT suitable for use in case of fire (ex. Firemen); for use in operations that require resistance against the permeation of chemical products

Warning :

The shirt is an accessory for suits with the same protection features. The pieces that belong to a suit must always be worn together. Protection against the risks indicated in this informative note is not guaranteed if the pieces are used individually. The garments only protect the part of the body actually covered; therefore they must be integrated, according to the use, with the relevant PPEs to protect hands, feet and head. The flame propagation limitation feature may be jeopardized if the devices are contaminated with flammable products. The drainage of electrostatic charges takes place through the head and body of the wearer

ADDITIONAL INFORMATION

Life Cycle :

- Machine wash max 60°C- DO NOT use bleach- Machine dry at moderate temperatures- Iron max.temperature 150°C- Dry cleaning withperchlorineethylene

Storage Information :

- Keep equipment in the original packaging in a cool and dry place, not dusty, far from heat sources and far from direct light.
- Carefully follow the instruction on the label for maintenance operation.

Care Instruction :

- For washing carefully read the indications in the instructions for use

CERTIFICATION AND CONFORMITY

European Directives :

89/686/EEC

EC Category PPE* : Category II

Standards :

EN 531 / EN 340 / EN1149-3

Tagging :

A 920/3

Quality Assurance :

ISO 9001 / 2000


EC Certification Number :

DPI 318 AT 366/1

Laboratory :

A.N.C.C.P. Milano

*PPE : Personal Protective Equipment



FEPAKO
VISITA NUESTRA TIENDA
EN **FEPAKO.COM**

EC CONFORMITY DECLARATION

The manufacturer or its legal representative supplier settled in the European Community:

Sperian Protection Europe

Declares that the next Personal Protective Equipment described here after is in conformity with the provisions of Council Directive 89/686/CEE:

Designation: MULTISAFE SHIRT MEGATEC

Reference: 1415848

Standard(s): EN 531 EN 340 EN1149-3

This PPE is the object of the above EC attestation type:

Delivered by:

A.N.C.C.P. Milano

via Rombon, 11

20134 Milano

Italy

Made at ROISSY, on the 08/22/2008

By: Magalie Chabot

Division: Body Protection

FEPAKO
VISITA NUESTRA TIENDA
EN FEPAKO.COM



Organismo Notificato n. 0302

AGENZIA NAZIONALE CERTIFICAZIONE
COMPONENTI E PRODOTTI
20134 MILANO - Via Rambon, 11



www.anccp.it
anccp@anccp.it

Tel. ++39.(0)2.210407.1 r.a.
Fax ++39.(0)2.210407218

CERTIFICATO DI ESAME CE DI TIPO

n° **DPI 318 AT 366/1**

DISPOSITIVI DI PROTEZIONE INDIVIDUALE
Direttiva 89/686/CEE, D.Lgs 4.12.92, n° 475

Denominazione: **CAMICIA di protezione per lavoratori esposti al calore, antistatica**
Tipo: **A920/3**
Varianti: **vedere all. 1**
Categoria: **II**

Ditta (e/o mandatario): **SPERIAN PROTECTION ITALIA s.r.l.**
via V. Veneto 142 27020 Dorno PV
Costruttore: **SPERIAN PROTECTION WORKWEAR DORNO s.r.l.**
via V. Veneto 142 27020 Dorno PV

Vista la domanda della Ditta in data: 02.05.2002

DOPO AVER CONSTATATO

- il buon esito dell'esame della documentazione tecnica presentata dalla Ditta in indirizzo con la domanda succitata;
- il buon esito delle verifiche e prove eseguite da questa Agenzia, sul modello rappresentativo della produzione,

Preso atto che la documentazione e il modello rappresentativo sono conformi a quanto disposto dal D.Lgs. 04.12.92, n° 475 e dalla norma:

UNI EN 531/97, UNI EN 1149-3/05

SI ATTESTA

che il modello di Dispositivo di Protezione Individuale del tipo e categoria sopra indicata, presentato all'esame e meglio descritto nell'allegato 1, che costituisce parte integrante del presente certificato, è conforme alla documentazione tecnica prodotta nonché ai requisiti essenziali di salute e sicurezza di cui alla direttiva 89/686/CEE.

Data: 08.05.2002

IL RESPONSABILE DPI
Arch. M. COLLI

IL DIRETTORE GENERALE
Ing. G. GAZZERRO

Rev.1: 06.09.2007



CONDIZIONI DI VALIDITA'

Le norme di cui al riferimento sono quelle vigenti alla data riportata sul presente certificato, la cui validità non è più assicurata all'atto dell'emissione di norme sostitutive. In tale circostanza il Fabricante è tenuto ad interpellare ANCCP circa la permanenza della validità.

Il presente certificato deve essere conservato dal fabbricante per essere esibito, a richiesta, all'organismo di controllo o all'amministrazione di vigilanza.

