



R5 Premium Revolution 3-point TELECOM&UTILITIES- DuraFlex- Size L/XL

REF. 1014252



by SPERIAN

GENERAL DATA

Division: Fall Protection Family: Fall Protection Range: Harness

Brand formerly known as: MILLER

Business Countries

EMEA

United Kingdom Middle East

Activity Domains: Utilities • Telecoms

Product Use:

Product Use:
3-point full body harness for use with a fall arrest device and suitable anchorage point. The robust Miller Revolution harness is ideal for scaffolding, steel erection, tower building and maintenance thanks to the unique Revolution technology and a multitude of key features. The PivotLinkTM connections are located at hip level for a smoother movement during ascent and descent. A pivoting work-positioning belt offers greater freedom of movement and reach. ormovement and readi.

Sperian Protection: ZI Paris Nord II - 33 rue des vanesses - BP 50288 - 95958 Roissy CDG - France Tel.: +33 (0)1 49 90 79 79 - Fax: +33 (0)1 49 90 79 80 - www.sperianprotection.eu



PRODUCT ADVANTAGES

Feature:

Made from patented elasticated DuraFlexTM webbing with shape retention memory, the R5 Premium Revolution 3-pt harness is ideal for telecoms and utilities thanks to the unique Revolution technology and a multitude of key features. The PivotLinkTM connections are located at hip level for a smoother movement during ascent and descent. Fitted with a pivoting work-positioning belt and quick fixing buckles.

Benefit:

PivotLink Connection (patent pending): This unique rotary design provides greater comfort in bending / mobility. Positioned at waist level to mirror the bending and squatting movements of the worker in construction and maintenance. Provides attachment point for tools and accessories. Made of stainless steel and aluminium for corrosion resistance. ErgoArmor Back Shield: This semi-flexible back shield minimizes impact from sharp / heavy snap hooks and self retracting lifelines. The self-adjusting channels conform to a variety of body shapes. The padding confirms to unlimited back contours while allowing superior air flow. A knitted mesh membrane minimizes moisture absorption and maintains an optimal air circulation whilst also helping to position the back D-ring correctly.

Self Contained Label Pack (patent pending): encapsulates labels minimizing damage and loss. Durable, polymer construction for extended service life. Integrated and oversized pull-free lanyard rings (patent pending)

Cam Buckle (patent pending): Easy, one-hand adjustment / release allows simultaneous adjustment of shoulder straps. Promotes proper snug fit; will not slip or misadjust. Constructed of high-tech polymer, lightweight aluminium and stainless steel materials that resist rust/corrosion.

Web Finials (patent pending): Clip-on design safely organises webbing after proper adjustment. Constructed of durable, high-impact resistant polymer. Provides positive gripping surface for easy web adjustment.

Integrated Accessory System: Modular attachment designprovides connection points for tools and accessories which can be easily attached/removed for greater comfort and convenience. Designed to distribute the weight of accessories across the hips and shoulders for comfort and mobility.

DuraFlex WebbingTM: Patented, elastomer webbing specially formulated to strech with the user's movements so there is no bunching or binding.

Pivoting Work positioning belt for greater freedom of movement and reach.

TECHNICAL DESCRIPTION Webbings Webbing: Shoulder and leg straps Material: MSITA NUESTRA TIENDA EN FERAKO.COM 100% PA Width (mm): 44 mm **Breaking Strength:** >2200 daN **Dorsal D-Ring** Raw Material: Zinc plated steel Dimensions: 61x51x7mm **Breaking Strength:** >2000 daN **Adjustement Buckles** Raw Material: Aluminium alloy **Breaking Strength:** 600daN Belt Side D-Rings: Stainless Steel Dimensions: 69x81x7mm



EC CONFORMITY DECLARATION

The manufacturer or its legal representative supplier settled in the European Community: Miller by Sperian

Declares that the next Personal Protective Equipment described here after is in conformity with the provisions of Council Directive 89/686/CEE:

Designation: R5 Premium Revolution 3-point TELECOM&UTILITIES- DuraFlex- Size L/XL

Reference: 1014252 Standard(s): EN358 EN361

This PPE is the object of the above EC attestation type:

0082/490/160/05/06/0253

Delivered by:

APAVE Lyonnaise 177 route de Saint-Bel BP 3 69811 TASSIN CEDEX

France

Made at Vierzon, on the 11/10/2005

By: Yves Depin

Division: Fall Protection

