



GENERAL DATA

Division : Fall Protection
Family : Fall Protection
Range : Fall Arrest Blocks and Winches
Brand formerly known as : MILLER
Business Countries
 Europe - EMEA
Activity Domains :
 Building and Construction • Industry

Product Use :

Concrete Construction, welding, steel erection, warehouse applications, petrochemicals, aerial lifts

PRODUCT ADVANTAGES

Feature :

- 2.85 meter stainless steel cable
- Cover: impact-resistant thermoplastic over aluminium
- Housing and hub: aluminium
- Stainless steel braking mechanism
- Load indicator
- Integral internal shock absorber
- Quick activating, high strength stainless steel braking system
- Swivel Scaf hook (63mm) on top
- Swivel snap hook (22mm) at the bottom with integral load indicator

Benefit :

- The smallest and lightest cable retractable on the market (1.9kg)
- Quick and safe rescue thanks to high strength stainless steel braking system
- Increased safety of use thanks to the load indicator
- Reduced costs of ownership thanks to no annual factory recertification required
- Greater safety thanks to integral internal shock absorber

VISITA NUESTRA TIENDA
 EN **FEPAKO.COM**

TECHNICAL DESCRIPTION

External

Housing :

aluminium

Cover :

impact-resistant thermoplastic over aluminium

Cable :

stainless steel

Connector :

Snap hook:

raw material: zinc plated steel

breaking strength: >2500daN opening: 20mm

EN360

Scaff hook:

raw material: aluminium

breaking strength: >2000daN opening: 63mm

EN360

Dimensions

Height :

65mm

Length :

166mm

Width :

120mm

Internal

Mechanism :

stainless steel

Performances

Max Working Load :

140,6kg

Working Capacity (m) :

2,7m

Arrest Distance :

<2m

Maximum Effort :

<6kN

Breaking Strength :

>12kN

Weight (kg) :

2,24kg

Complementary Information :

Integral internal shock absorber

Quick activating, high strength stainless steel braking system

Swivel Scaf hook (63mm) on top

Swivel snap hook (20mm) at the bottom with integral load indicator

ADDITIONAL INFORMATION

User manual number :

EN360

CERTIFICATION AND CONFORMITY

EC Category PPE* : Class 3

Standards :

EN360

European Directives :
89/686/EEC

Quality Assurance :
ISO 9001 / 2000

EC Certification Number :
333 AFAQ

EC Attestation Number :
040906

Laboratory :
SGS

*PPE : Personal Protective Equipment

FEPAKO
VISITA NUESTRA TIENDA
EN **FEPAKO.COM**

EC CONFORMITY DECLARATION

The manufacturer or its legal representative supplier settled in the European Community:

Miller by Sperian

Declares that the next Personal Protective Equipment described here after is in conformity with the provisions of Council Directive 89/686/CEE:

Designation: Black Rhino

Reference: 1012392

Standard(s): EN360

This PPE is the object of the above EC attestation type:

040906

Delivered by:

SGS

SGS House

Portland Road, East Grinstead

RH19 4 WEST SUSSEX

United Kingdom

Made at Vierzon, **on the** 06/19/2007

By: Yves Depin

Division: Fall Protection



FEPAKO
VISITA NUESTRA TIENDA
EN FEPAKO.COM