

EYE AND FACE PROTECTION FitLogic Black Ready Reader +2.5

REF. 1014006





GENERAL DATA

Division : Head Protection Family : Eye and Face Protection Range : Spectacles Line : Single lens Brand formerly known as : PULSAFE **Business Countries** United Kingdom EMEA Middle East Activity Domains : Automotive and Part Manufacturer • Aviation • Administration • Building and Construction • Catering Energy or Electricity • Fishing • Food Industries • Foundry • Glass Industries • Industrial Cleaning • Iron and steel industry • Logistics • Maintenance • Metal steel • Minning and Quarrying • Offshore • Paper Industries • Printing Industries • Services • Telecoms • Textile Industries • Transportation • Utilities • Water treatment · Wood Industries · Laboratory · Ship Building · Industry

Product Use :

General use and protection against impact (45m/s) Mechanical Work (grinding, turning, milling) Protection against impact from -5C to +55C

PRODUCT ADVANTAGES

Feature :

Comfort Features:

- · Pulsafe patented MMT (Multi-Material Technology) positions cushioned comfort at all points of contact
- IMA (In-Mold Assembly) technology allows revolutionary product features to tailor-fit your face shape and size
- · Soft materials offer extended comfort for all day wear
- Floating lens design provides excellent ventilation to minimize fogging

Lens Features:

- · Extended wrap-around lens provides extra cheek and side coverage
- Optically perfect polycarbonate lens blocks 99.9% of UV rays
- Easy and quick lens replacement system
- · Lenses are available with anti-fog coating

Benefit :

"STRA TIEN Flexible, expandable, durable, lightweight and comfortable, nothing fits or feels as good as the FitLogic.

Feature :

Cheekbone profile : Precise angle adjustment to fit your cheekbone. The temple arms ratchet up and down and click securely into place.

Benefit :

It does contour - fit your cheek profile

5 SPERIAN

Feature :

Ear profile : Infinite temple length adjustment fits to your ear. The temples lengthen with a precise, sliding action.

Benefit :

They give better fit and provide more behind-the-ear comfort.

Feature :

Face profile : Revolutionary browbar self-adjusts for secure fit. With spring-like action, the browbar flexes to fit.

Benefit :

Soft and flexible, it has just enough tension to fit comfortably on wide faces and securely on narrow faces.

Feature :

Nose profile : Smart nosepiece construction adjusts to your nose. Amazing, patented nosepiece rotates 360° and pivots left, right, in and out.

Benefit :

It can be precisely fitted to your nose bridge.

TECHNICAL DESCRIPTION

Type : Spectacles Shade/Lens color : Clear Lens coating : Anti-scratch Shade/Lens material : Polycarbonate Frame color : Black Frame material : plastic ISITA NUESTRA TIENDA CERTIFICATION AND CONFORMITY PPE* : No Quality Assurance : ISO 9001 / 2000 **EC Certification Number :** EC1479 **EC Attestation Number :** 0194 Laboratory : INSPEC *PPE : Personal Protective Equipment

5 SPERIAN

EC CONFORMITY DECLARATION

The manufacturer or its legal representative supplier settled in the European Community: Sperian Protection Europe

Declares that the next Personal Protective Equipment described here after is in conformity with the provisions of Council Directive 89/686/CEE:

Designation: FitLogic Black Ready Reader +2.5

Reference: 1014006

Standard(s):

This PPE is the object of the above EC attestation type: 0194

Delivered by:

INSPEC 56 Leslie Hough Way Salford M6 6AJ Greater Manchester United Kingdom Made at , on the 08/01/2007 By: Division: Head Protection





CE

EC TYPE-EXAMINATION CERTIFICATE: 1479

Product description: -

Personal Protective Spectacles

Product identification: -

Sperian FitLogic

Manufacturer:

Sperian Eye and Face Protection Inc. 10 Thurber Boulevard Smithfield RI 02917 USA

When assessed and examined against harmonised standard EN166:2001 are found to be in conformity with Council Directive 89/686/EEC and associated amendments, relating to personal protective equipment.

Authorised EU Representative: -

Sperian Protection Europe (SAS) 95958 Rom France FERRATIENDA COM-h 2006

Signed

K J Warren, Manager, Certification Services

For and on behalf of INSPEC International Ltd. 56 Leslie Hough Way, Salford, Gt Manchester M6 6AJ England (Notified Body No: 0194)

certificate invalid if not embossed

For terms and conditions of issue, see page 2

Page 1 of 4

Terms and Conditions

Reference Documents: -

i) Test Report -		INSPEC 06.02.52 & 08.05.15 to 08.05.21 ICS T2722-01=1
ii)	Technical File	TF/1479
iii)	Quality Plan	Sperian Eye & Face Protection, Inc QP EN 166

Conditions attached to the issue of this certificate:

- Marking and instructions have been assessed in the English language only. It is the Manufacturers/Authorised Representatives responsibility to obtain and supply language versions acceptable to the country where the product is to be sold.
- Any changes to the product, technical file or quality manual/quality plan shall be immediately notified to INSPEC.
- The Manufacturer/Authorised Representative shall comply at all times with INSPEC's Regulations governing CE Product Certification.
- iv) This Certificate remains the property of INSPEC and may be withdrawn if any of the conditions attached to its issue are not complied with.

CERTIFICATION INDEX

Item	Status	Issued	Amendment
Certificate, Pages 1 - 4	Withdrawn	17/03/06	Initial Issue
Certificate, Pages 1-4	Withdrawn	04/06/08	Addition of new shades and replacement lenses
Certificate, Pages 1 – 4	Valid	24/07/08	Addition of SKU ref to readers
	XX		
		2	
VIS	ITA I	No.	
EN	TANUE		5
	FEPA	TRA	U
	74	0. 1/	No
		~OM	A
			AMILED S

Г

CERTIFICATION SCHEDULE

Model ref	Lens colour and coating	Optical Class	Lens Filter	Options
1013337	Clear HC	1	2C-1.2	FT
1013338	Clear FOG-BAN	1	2C-1.2	FT
1013339	TSR Gray HC	1	5-2.5	FT
1013340	TSR Gray FOG-BAN	1	5-2.5	FT
1013341	HDL Yellow HC	1	2-1.2	FT
1013342	I/O Silver HC	1	5-1.7	FT
1013343	Silver Mirror	1	5-3.1	FT

Sperian FitLogic Reader¹

Mode	Lens colour and	coating Optical	Optical	Lens	Options		
				LEIS	Untions		
				and the second se	opuono		
161		Class	Power	Filter			
			the second second				
101400			1.5dpt	2C-1.2	FT		
101400	5 Clear HC		2.0dpt	2C-1.2	FT		
101400	6 Clear HC		2.5dpt	2C-1.2	FT		
All lenses are polycarbonate Key: FT - Low energy impact at extremes of temperature Replacement Lenses Model Lens colour and coating Lens Filter							

Model ref	Lens colour and coating	Lens Filter
1014013	Clear HC	2C-1.2
1014014	Clear FOG-BAN	2C-1.2
1014012	TSR Gray HC	5-2.5
1014011	TSR Gray FOG-BAN	5-2.5
1014008	HDL Yellow HC	2-1.2
1014009	I/O Silver HC	5-1.7
1014010	Silver Mirror	5-3.1

CERTIFICATION/TEST REPORT RECEIP | FORM DATE RECEIVED: DIRECTOR R & D:_ DIRECTOR QUALITY SI Q.A. MANAGER_ PRODUCT: MGNATURES CERTIFICATION TEST REPORT 1921C VIDP VISITA NUESTRATIENDA EN FEPAKO.COM